


RX230



"APRIMATIC" -

Aprimatic S.p.A.

Aprimatic S.p.A.

Aprimatic S.p.A.

, 105484, . 16-


, . 30 .1,

./ . +7 (495) 988-58-55, (495) 782-77-09, e-mail: info@aprimatic.su
www.aprimatic.su




RX230

MOS



- 1
- 2
- 3
- 4
- 5



- JP1-2
- SW1
- SW2
- SW3
- DL1
- J2



- 1. 1
- 2. 1
- 3. 1
- 4. 1
- 5. () 2
- 6. 2
- 7. 2
- 8. 2
- 9. 2
- 10. 3

1.

RX230

24

1
Aprimatic.





..... 230 (+6%; -10%), 50
 3,15 ()
 433,92
 120 ()
 () 2 ()
 1,0²
 -20° / +70°
 -40° / +85°
 90% ()
 IP20

24

1

- 1 1
- 2 1
- 1 1 1/4" (255"/255')
- 2 1 1/4" (255"/255')
- (1) 1
- (2) 2 (. .8)

(1)-





3.


RX230

"504"

"504"




4.



24

1



230

30


230 (" " " ")

.4.1-2.




(1 2) 1 1 (

- 1 - SW2
- 2 - (1. 1
- 3 - 1). 1,
- 4 - 1. 2
- 5 - 2 2



15

SW2.



Aprimatic

Aprimatic S.p.A. • Zona Industriale Fossatone
40060 Villa Fontana • Medicina • Bologna (ITALY)
tel. +39051 6979511 • fax +39051 6930396